

DENKI

Outdoor unit model name		DNK - 2MULTI/OU EU	
Sound power level (inside)	50	dB(A)	
Sound power level (outside)	65	dB(A)	
Refrigerante	R32	GWP	675
Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 675. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 675 times higher than 1kg of CO2, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.			
Cooling mode			
SEER	6.1		
Energy efficiency class	A++		
Design load (Pdesignc)	5.1	kW	
Energy consumption,	293	kWh per year, based on standard test results.	
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Average)			
SCOP	4.0		
Energy efficiency class	A+		
Design load (Pdesignh)	4.0	kW (-10°C)	
Declared capacity	3.8	kW (-10°C)	
Back up heating capacity	0.2	kW (-10°C)	
Energy consumption,	1400	kWh per year, based on standard test results.	
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Warmer) Optional			
SCOP	4.6		
Energy efficiency class	A++		
Design load (Pdesignh)	4.0	kW (2°C)	
Declared capacity	4.0	kW (2°C)	
Back up heating capacity	0	kW (2°C)	
Energy consumption,	1217	kWh per year, based on standard test results.	
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Colder) Optional			
SCOP	-		
Energy efficiency class	-		
Design load (Pdesignh)	-	kW (-22°C)	
Declared capacity	-	kW (-22°C)	
Back up heating capacity	-	kW (-22°C)	
Energy consumption,	-	kWh per year, based on standard test results.	
Actual energy consumption will depend on how the appliance is used and where it is located.			

DENKI

Outdoor unit model name		DNK - 3MULTI/OU EU	
Sound power level (inside)	50	dB(A)	
Sound power level (outside)	67	dB(A)	
Refrigerante	R32	GWP	675
Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 675. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 675 times higher than 1kg of CO2, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.			
Cooling mode			
SEER	6.1		
Energy efficiency class	A ⁺⁺		
Design load (Pdesignc)	7.9	kW	
Energy consumption,	453	kWh per year, based on standard test results.	
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Average)			
SCOP	4.0		
Energy efficiency class	A ⁺		
Design load (Pdesignh)	5.6	kW	(-10°C)
Declared capacity	5.2	kW	(-10°C)
Back up heating capacity	0.4	kW	(-10°C)
Energy consumption,	1960	kWh per year, based on standard test results.	
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Warmer) Optional			
SCOP	4.6		
Energy efficiency class	A ⁺⁺		
Design load (Pdesignh)	5.7	kW	(2°C)
Declared capacity	5.7	kW	(2°C)
Back up heating capacity	0	kW	(2°C)
Energy consumption,	1735	kWh per year, based on standard test results.	
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Colder) Optional			
SCOP	-		
Energy efficiency class	-		
Design load (Pdesignh)	-	kW	(-22°C)
Declared capacity	-	kW	(-22°C)
Back up heating capacity	-	kW	(-22°C)
Energy consumption,	-	kWh per year, based on standard test results.	
Actual energy consumption will depend on how the appliance is used and where it is located.			

DENki			
Outdoor unit model name		DNK - 4MULTI/OU EU	
Sound power level (inside)		50	dB(A)
Sound power level (outside)		70	dB(A)
Refrigerante	R32	GWP	675
Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 675. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 675 times higher than 1kg of CO₂, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.			
Cooling mode		SEER 6.1	
Energy efficiency class		A ⁺⁺	
Design load (Pdesignc)		9.3	kW
Energy consumption,		534	kWh per year, based on standard test results.
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Average)		SCOP 4.0	
Energy efficiency class		A ⁺	
Design load (Pdesignh)		7.3	kW (-10°C)
Declared capacity		6.8	kW (-10°C)
Back up heating capacity		0.5	kW (-10°C)
Energy consumption,		2555	kWh per year, based on standard test results.
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Warmer) Optional		SCOP 4.6	
Energy efficiency class		A ⁺⁺	
Design load (Pdesignh)		7.5	kW (2°C)
Declared capacity		7.5	kW (2°C)
Back up heating capacity		0	kW (2°C)
Energy consumption,		2283	kWh per year, based on standard test results.
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Colder) Optional		SCOP -	
Energy efficiency class		-	
Design load (Pdesignh)		-	kW (-22°C)
Declared capacity		-	kW (-22°C)
Back up heating capacity		-	kW (-22°C)
Energy consumption,		-	kWh per year, based on standard test results.
Actual energy consumption will depend on how the appliance is used and where it is located.			

DENKI

Outdoor unit model name		DNK - 5MULTI/OU EU	
Sound power level (inside)	50	dB(A)	
Sound power level (outside)	70	dB(A)	
Refrigerante	R32	GWP	675
Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 675. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 675 times higher than 1kg of CO2, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.			
Cooling mode			
SEER	6.1		
Energy efficiency class	A**		
Design load (Pdesignc)	12.2	kW	
Energy consumption,	700	kWh per year, based on standard test results.	
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Average)			
SCOP	4.0		
Energy efficiency class	A+		
Design load (Pdesignh)	9.5	kW	(-10°C)
Declared capacity	9.3	kW	(-10°C)
Back up heating capacity	0.2	kW	(-10°C)
Energy consumption,	3325	kWh per year, based on standard test results.	
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Warmer) Optional			
SCOP	4.6		
Energy efficiency class	A**		
Design load (Pdesignh)	9.7	kW	(2°C)
Declared capacity	9.7	kW	(2°C)
Back up heating capacity	0	kW	(2°C)
Energy consumption,	2953	kWh per year, based on standard test results.	
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Colder) Optional			
SCOP	-		
Energy efficiency class	-		
Design load (Pdesignh)	-	kW	(-22°C)
Declared capacity	-	kW	(-22°C)
Back up heating capacity	-	kW	(-22°C)
Energy consumption,	-	kWh per year, based on standard test results.	
Actual energy consumption will depend on how the appliance is used and where it is located.			